

Materials of the Conference

**VARIATIONS OF THE PSYCHOEMOTIONAL
STATUS OF THE MIGRANTS FROM
THE NORTH WITH THE DISCIRCULATORY
ENCEPHALOPATHY**

Zaitseva O.I., Dvoryashina E.M.

*SRI of the medical problems of the North RAMS
of Krasnoyarsk city*

*Krasnoyarsk State Medical University
named after prof. V.F. Voino-Yasenetskiy
Krasnoyarsk, Russia*

At the present time one of the actual tasks of our State is realization of the programme of the migration of the population from the Extreme North territory to the zones with favourable climate for living. Such regions for migrants from the North are Southern areas of Krasnoyarsk territory and Khakas republic. Thereupon necessity in estimation of the adaptive possibilities and health condition of the migrants arises, first of all of those people, who are at the after-working period.

The purpose of this research was an estimation of the psychoemotional status and cognitive functions of the migrants from the North, who are at the after-working period.

The somatoneurologic research was made with the estimation of the psychoemotional status with the help of inquirer of Eysenck and cognitive sphere according to the parameters of the higher brain functions

in 81 people: 68 migrants from the North with the signs of discirculatory encephalopathy (DE) and 13 people- without clinical manifestations of DE at the age from 55 to 56 years old (51-women; 30-men).

At the present time one of the actual tasks of our State is realization of the programme of the migration of the population from the Extreme North territory to the zones with favourable climate for living. Such regions for migrants from the North are Southern areas of Krasnoyarsk territory and Khakas republic. Thereupon necessity in estimation of the adaptive possibilities and health condition of the migrants arises, first of all of those people, who are at the after-working period.

The purpose of this research was an estimation of the psychoemotional status and cognitive functions of the migrants from the North, who are at the after-working period, it demands of special therapy, including the prescription of the medicine, improving the cognitive functions and normalizing the psychoemotional sphere. Using of the domestic medicine (pantocalcine and teraligene) on the outpatient basis will let to decrease the expressivity of the anxious disorders and stabilize the cognitive sphere.

The work is submitted to Scientific Conference "Environment and development of the person", Irkutsk, July 5-7, 2010. Came to the Editor's Office on 30.05.2010.